## Milling and mixing system KA



## Your special benefits

- Very compact construction
- Ready-to-use delivery / no assembly
- Powerful combination
- Simple and user-friendly operation







sampling slide

inlet hopper mixer





with inlet hoppel, magnetic separator and regulating slide side outlet with flap




- Agricultural technology
- Plant construction
- Engineering

Unnerweg 84 D- 49688 Lastrup

+49 (0) 4472 940090 +49 (0) 4472 940099 E-Mail: kessens@kessens-technik.de

## **Functional description**





The milling material is picked up via the large inlet hopper (2) by hand or any conveying system. The feed to the hammer mill is infinitely adjustable via a hand slide. The integrated magnetic separator (3) at the inlet hopper separates metal parts that could damage the hammers and sieves.

The milled product is fed from the hammer mill (4) directly into the mixer (5) without an additional conveyor system. Additional products can also be fed directly into the mixer (5) via the inlet funnel (6). There is also a slide for sampling (7).

The mixing screw (8) guarantees a quick and high-quality mixture. After mixing time has expired, it can be emptied via the side outlet (9) with a manual flap. The system can optionally be equipped with a weighing system for precise quantity control.

## Possible combinations and technical data

type	mixing amount [kg]	volume [L]	capacity [kg/h]	drive power [kW]	
				mill	mixer
KA 75 / 900	600	900	500-1300	7,5	2,2
KA 75 / 1400	1000	1400	500-1300	7,5	3,0
KA 110 / 900	600	900	900-1500	11,0	2,2
KA 110 / 1400	1000	1400	900-1500	11,0	3,0



- Agricultural technology
- Plant construction
- Engineering

Unnerweg 84 D- 49688 Lastrup

Tel.: +49 (0) 4472 940090 Fax.: +49 (0) 4472 940099 E-Mail: kessens@kessens-technik.de